
# S-INTERLOCKING roof tiles

## The safest option Practical and easy to install

We offer three formats that combine curved profiles.

Thanks to more advanced production processes and the quality of clay used by Tejas Borja, our S-Interlocking roof tiles are the best solution for roof protection.





**RESIDENTIAL DEVELOPMENT (TAIWAN)** 



Trade mode



## TB-4® Quattro® Technical Information

	- 1	AEI
	- 1	N
	- 1	Ľ
	- 1	-
	- 1	Produ







Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site.

A tolerance of  $\pm$  2% is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Type: Double lateral overlapping and double Lengthinal overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. (\*) Check pitch pannel according to the roof length and the geographical area.

Minimum pitch



TB-4 Quattro® Vilaterra®

**RESIDENTIAL HOUSE (ALGERIA)** 

## **ADVANTAGES**



**Maximum fixing play.** Adaptable to rounded areas. Free lateral interlocking. Curved roof tile aesthetic eect of 50 tiles per sq. m.







## **High resistance.**Back ribs reinforcement.



## Stability.

Level fixing with double nib support.





TB-4Quattro®
Colours

NATURE








## S-INTERLOCKING roof tiles

## Accessories





Dimensions in cm.
Check colours availability for accessories.





	1B-4°	1B-12°	18-10
Dimensions	442 mm x 258 mm	439 mm x 260 mm	470 mm x 294 mm
Weight	3,40 kg/unit	3,15 kg/unit	4,10 kg/unit
Useful length (batten distance)	370 mm	370 / 380 mm	385 mm
Useful width	205 mm	205 mm	230 mm
Lateral overlap	55 mm	55 mm	64 mm
Head overlap	69 mm	69 / 59 mm	85 mm
Units per sq. m.	12,8 tiles	12,8 tiles	10,8 tiles
Weight per sq. m	44 Kg	40 Kg	44 Kg
Units per ml eave line	5,0 tiles	5,0 tiles	5,0 tiles
Roof Tiles per pallet	120 / 180 / 240 units	240 / 248 units	174 units
Waterproofing	Waterproof membrane	Waterproof membrane	Waterproof membrane
Battens per sq. m.	2.7	2.7	2.6

TD 1®

TD 10R

TD 10

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Type: Double lateral overlapping and double Lengthinal overlapping. Installation must comply with the Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(\*) Check pitch panel according to the roof length and the geographical area.

#### WHY DRY INSTALLATION?

Dry installation has significant advantages over conventional installation, as well as improving the performance of the roof during both summer and winter

To ensure that the roof is installed correctly, air must circulate continuously in the space under the roof tiles. This micro-ventilation will allow air to enter via the eave lines and leave through the ridge lines, increasing through the use of ventilation roof tiles distributed along the roof.

During the summer this air chamber will reduce the amount of heat received by the support for the roof tile and, therefore, the heat transferred into the building, reducing air conditioning costs. In winter, indoor ventilation will prevent condensation from forming on the materials used to build up the roof (roof tiles, insulation, support, etc.), as they harm their durability. Furthermore, this condensation can affect the comfort of the building, producing moisture that is conducive to the formation of moss and bacteria that reduce the quality of the air inside.

With regards fittings, the use of mortar is not recommended due to its poor reaction with ceramics and the rigidity of joints. Roof tiles should be fixed mechanically or with adhesives made specifically for roof tiles, since these give the materials the necessary room to allow for the movements caused by expansion and changes in temperature.

## **ROOF SLOPES**

Each roof must be planned taking into account where it should be built and the length of the deck, in accordance with the technical standards applicable in each territory. It is for this reason that for each area and location, must take into account of the minimum slopes for installation and the roof length.

#### Pitch panel according to the roof length and the location. (according to UNE - 136020)

	Location	Roof length up to 6.5 m	Roof length from 6.5 to 9 m	Roof length from 9 to 12 m
Zone 1	Protected	25% - 14°	26% - 15°	27% - 15,5°
	Normal	25% - 14°	28% - 16°	32% - 18°
	Exposed	33% - 18,5°	35% - 19,5°	42% - 23°
	Protected	25% - 14°	28% - 16°	30% - 17°
Zone 2	Normal	27% - 15,5°	32% - 18°	35% - 19,5°
	Exposed	37% - 20,5°	39% - 21,5°	45% - 24,5°
	Protected	27% - 15,5°	30% - 17°	35% - 19,5°
Zone 2	Normal	30% - 17°	36% - 20°	40% - 22°
	Exposed	40% - 22°	43% - 23,5°	50% - 26,5

Use the breathable/waterproof membrane on the support.

A special study should be carried out for roof length more than 12m in length (ask us).

### FITTING

Roof tiles on the roof surface must be fixed to the support to a greater or lesser extent, depending on the pitch. In the case of singular points such as eave lines, edges, hip lines, valleys, joints and the ridge line, all roof tiles and accessories of these joints must be fixed to the battens.


#### We recommend that all roof tiles that form the perimeter of each skirt be fixed mechanically.

Ш	Tattan tuna.	Metallic		
Batten type:	satten type:	Treated wood		
0		Self-drilling stainless screws or nails (depending on the support)		


A 25% - 100% The roof tiles will rest on battens, since they are provided with nib support.

B 100%-173% All the roof tiles around the perimeter of each roof surface must be fixed and at least one in every five should be fixed in a regular manner.

C > 173% In areas with strong winds, exposed areas or areas with basic seismic acceleration of > 0.12g, all roof tiles should be fixed mechanically to the battens.



Less than 25% - Not recommended





#### **VENTILATION**

Under-tile ventilation is necessary at all times. This will guarantee the durability of the material used to build the roof with their optimal characteristics, improving the hygrothermal performance of the roof tiles against the moisture resulting from condensation.


There must be a continuous air flow between eave lines and ridge line. To this end, a space must be left between the roof tiles and the support. As a result, eave lines, ridge lines and singular points must never be filled in with mortar, as this will impede micro-ventilation.

Ventilation roof tiles will also be installed in a uniform manner across the surface of the roof. In case of dry installation, it is recommended that at least 1 ventilation roof tile be used every 10 sq.m. and 4 ventilation roof tiles per the roof surface.





Example case of distribution of ventilation roof tiles on a 7m x 9m rectangular roof surface (63 sq.m.)



To ensure their optimal installation, S-Interlocking roof tiles should be fixed to a support previously prepared with a double batten layout.

For more information on the dry installation of S-Interlocking roof tiles, watch the explanatory video at www.tejasborja.com




A breathable waterproof membrane should be laid on the support of the roof and the main battens (L1) should be installed every 50/70 cm, parallel to the steepest slope. The horizontal support battens (L2) for the roof tiles should be fixed to the main battens depending on the useful length of each roof tile (the useful length must be calculated on site).



Waterproof and breathing membrane



To adequately solve roof joints and chimneys, multi-use (Premium or Aluminium) waterproofing bands should be used. Once attached to the clean dry surface, they must then be finished with the Counter flashing profile, sealing the upper line with a continuous line of putty.







To prevent birds from entering the roof and allow ventilation, Eave ventilation comb or Eave Closure (clay accessory) should be installed.

The first batten to be installed on the eaves must be 2 cm taller that the others. To achieve this effect, a taller batten or a Eave Ventilation Comb Profile, which combines both products, can be installed in this area.

S-Interlocking roof tiles are installed from left to right, and from the eave to the ridge line. The first row of roof tiles have variable overhanging, depending on the model and installation.








Eaves comb profile

Ventilation roof tiles are installed in the same manner as other roof tiles, interlocking into each other laterally and from the top. These roof tiles should be distributed along the roof surface in acordance with the function and type of installation.










TB-4® Quattro® Ventilation

ttro® Roof Tile







TB-12® Tile

and a Half



Half TB-10

Roof Tile



and a Half





Straight Edges

Edges clay accessory (left and right) should be installed under the roof tiles and following the direction of the tile. To complete the slope on the left it should be placed on the roof tile or half-tile, depending on the width of the roof surface.



Universal

TB-4® Quatro® **Curved Edges Curved Edges** 



Half TB-12®

Roof Tile



The batten installed on the ridge line should be attached to the Cantilevel supports. To install the battens, they must be installed to the Cantilevel support at the required pitch and height so that the ridges are directly supported on the roof tiles in the last row and the Universal Under Ridge (clay accessory).





The Under ridge roll tape (mixed, aluminium or Roof ridge pvc vent brush) should be placed on the ridge batten and fixed with clips or nails. The rolls have adhesive strips of butyl to attach to the profile of the roof tiles and waterproof joints. Finally, the Ridges and End Caps clay accessory should be installed with screws/ nails and ridge clips.







Straight End Cap



Circular Ridge

Circular Hip Starter

Circular 4 Ways Circular 3 Ways

Also available Cover+ clay accessories.